EINK DISPLAY ID CARD



Technical
Specification
COMTUSTEC INDIA (P) LTD

Overview

EINK DISPLAY ID Card: It is a Bluetooth Low Energy (BLE) Beacon that broadcast its identifier at a regular interval.

In this ID card the image can be updated through the mobile app or through the web application.

The image can last long with or without power for 2 year, and the image can be changed when ever user want to change it.

General

Display 2.8 inch

Operating Voltage 3V

Sleep Current consumption 30uA

Operating Temperature -30° to 60°C

Bluetooth Type Bluetooth Low Energy 4.0

Beacon (IBEACON / EDDY STONE)

Advertising Interval Configurable

Firmware Update YES

BLE (Bluetooth Low Energy)

Bluetooth Data Rate 1 Mbps

Bluetooth Power Output 0 dBm

Bluetooth Antenna 0 dBm on board Single Antenna,

Omni Directional.

Range (Open Air) 20 Meters

Device ID Unique Device ID per individual beacon

Water Resistance Yes

R	\sim	++	_	pr.	. /
D		ш			y

Battery Model CR2032

No of Batteries 3 No's

Warranty

Warranty Summary 1 Year (*Only Manufacturing Defects)

Applications:

Event Management

Find me

Geo-Fencing

Indoor positioning and navigation

Tracking of people or possessions

Location based advertisements or messages